

EPC-409 TCP/IP Converter

Features

- Supports RS-232 and RS-485 communication interfaces.
- High performance data converter between RS-232 / RS-485 & Ethernet.
- Built-in one RJ-45 network communication interface and supports 10/100 Base-T.
- The serial port signal transfer rate is 2400~115200 bps-N-8-1, the default value is 19200.
- RS-232 /RS- 485 support even parity, odd parity and no parity check settings.
- Allows to download the configuration parameters or configure IP through the utility program.
- Supports to set parameters through Web Browser for easy-to-use and maintenance.
- Supports DHCP client.
- Supports TCP Server / Client and UDP Server / Client connection mode.
- TCP Server Mode supports Keep Alive Check and the settings to disconnect while remote idle timeout
- TCP Client Mode supports automatic connection mode and data connection mode.
- Watchdog function secures system free from halting.
- Complies with EMS, EMI test standard.

Ordering Information

Package Content:

- EPC-409 x 1
- Software CD x 1

Specifications

Model No.	EPC-409
CPU	32 Bit
Comm. Interface	TCP/IP: 10/100 Mbps ; Serial: RS-232 / RS-485
Power Input	DC 12V, 150mA (Max)
Comm. Baudrate	2400~115200 bps-N-8-1 , default 19200bps
Operating Temp.	-40°C ~70°C / -40°F ~158°F
Relative Humidity	20% ~ 80% (Non Condensing)
Dimension(mm)	95 (L) x 62 (W) x 28 (H)
Weight (Device)	80g